



iHP

CAMLOCK COUPLINGS

CAMLOCK FITTINGS FROM IHP

Camlock couplings designed to A-A-59326F (formally MIL-C-27487) standard are designed for low pressure transfer applications and are available in 4 materials Aluminium, Brass, Stainless Steel & Polypropylene .

- **UK'S BIGGEST STOCK OF INDUSTRIAL HOSE & FITTINGS**
- **LARGE STOCK HOLDING**
- **MOST COMPETITIVE PRICES AVAILABLE**
- **BEST TECHNICAL SUPPORT**
- **SPECIAL PRODUCTS CAN BE FABRICATED ON-SITE**
- **MIX & MATCH ORDERS**
SAVE CARRIAGE

 **0121 783 8118**

 **sales@ihp.co.uk**



Aluminium Camlocks

USAGE : Most commonly used in Water, Oil & Product transfer applications

Type A Camlock x BSPP Female



Part Code	Size	WP (Bar)
A50AL	1/2"	10
A75AL	3/4"	10
A100AL	1"	10
A125AL	1.1/4"	10
A150AL	1.1/2"	10
A200AL	2"	10
A250AL	2.1/2"	10
A300AL	3"	10
A400AL	4"	7
A500AL	5"	4.5
A600AL	6"	4.5
A800AL	8"	3

Type B Camlock x BSPT Male



Part Code	Size	WP (Bar)
B50AL	1/2"	10
B75AL	3/4"	10
B100AL	1"	10
B125AL	1.1/4"	10
B150AL	1.1/2"	10
B200AL	2"	10
B250AL	2.1/2"	10
B300AL	3"	10
B400AL	4"	7
B500AL	5"	4.5
B600AL	6"	4.5
B800AL	8"	3

Type C Camlock x HOSETAIL



Part Code	Size	WP (Bar)
C50AL	1/2"	10
C75AL	3/4"	10
C100AL	1"	10
C125AL	1.1/4"	10
C150AL	1.1/2"	10
C200AL	2"	10
C250AL	2.1/2"	10
C300AL	3"	10
C400AL	4"	7
C500AL	5"	4.5
C600AL	6"	4.5
C800AL	8"	3.5

Type D Camlock x BSPP Female



Part Code	Size	WP (Bar)
D50AL	1/2"	10
D75AL	3/4"	10
D100AL	1"	10
D125AL	1.1/4"	10
D150AL	1.1/2"	10
D200AL	2"	10
D250AL	2.1/2"	10
D300AL	3"	10
D400AL	4"	7
D500AL	5"	4.5
D600AL	6"	4.5
D800AL	8"	3.5

Type E Camlock x HOSE TAIL



Part Code	Size	WP (Bar)
E50AL	1/2"	10
E75AL	3/4"	10
E100AL	1"	10
E125AL	1.1/4"	10
E150AL	1.1/2"	10
E200AL	2"	10
E250AL	2.1/2"	10
E300AL	3"	10
E400AL	4"	7
E500AL	5"	4.5
E600AL	6"	4.5
E800AL	8"	3.5

Type F Camlock x BSPT Male



Part Code	Size	WP (Bar)
F50AL	1/2"	10
F75AL	3/4"	10
F100AL	1"	10
F125AL	1.1/4"	10
F150AL	1.1/2"	10
F200AL	2"	10
F250AL	2.1/2"	10
F300AL	3"	10
F400AL	4"	7
F500AL	5"	4.5
F600AL	6"	4.5
F800AL	8"	3.5

Type DC Camlock



Part Code	Size	WP (Bar)
DC50AL	1/2"	10
DC75AL	3/4"	10
DC100AL	1"	10
DC125AL	1.1/4"	10
DC150AL	1.1/2"	10
DC200AL	2"	10
DC250AL	2.1/2"	10
DC300AL	3"	10
DC400AL	4"	7
DC500AL	5"	4.5
DC600AL	6"	4.5
DC800AL	8"	3.5

Type DP Camlock



Part Code	Size	WP (Bar)
DP50AL	1/2"	10
DP75AL	3/4"	10
DP100AL	1"	10
DP125AL	1.1/4"	10
DP150AL	1.1/2"	10
DP200AL	2"	10
DP250AL	2.1/2"	10
DP300AL	3"	10
DP400AL	4"	7
DP500AL	5"	4.5
DP600AL	6"	4.5
DP800AL	8"	3.5

Stainless Steel Camlocks

USAGE : Most commonly used in Food, Chemical & Pharmaceutical applications.

Threaded Couplings also available in NPT Thread

Type A Camlock x BSPP Female



Part Code	Size	WP (Bar)
A50SS	1/2"	10
A75SS	3/4"	10
A100SS	1"	10
A125SS	1.1/4"	10
A150SS	1.1/2"	10
A200SS	2"	10
A250SS	2.1/2"	10
A300SS	3"	10
A400SS	4"	7
A500SS	5"	5
A600SS	6"	5

Type B Camlock x BSPT Male



Part Code	Size	WP (Bar)
B50SS	1/2"	10
B75SS	3/4"	10
B100SS	1"	10
B125SS	1.1/4"	10
B150SS	1.1/2"	10
B200SS	2"	10
B250SS	2.1/2"	10
B300SS	3"	10
B400SS	4"	7
B500SS	5"	5
B600SS	6"	5

Type C Camlock x HOSETAIL



Part Code	Size	WP (Bar)
C50SS	1/2"	10
C75SS	3/4"	10
C100SS	1"	10
C125SS	1.1/4"	10
C150SS	1.1/2"	10
C200SS	2"	10
C250SS	2.1/2"	10
C300SS	3"	10
C400SS	4"	7
C500SS	5"	5
C600SS	6"	5
C800SS	8"	3

Type D Camlock x BSPP Female



Part Code	Size	WP (Bar)
D50SS	1/2"	10
D75SS	3/4"	10
D100SS	1"	10
D125SS	1.1/4"	10
D150SS	1.1/2"	10
D200SS	2"	10
D250SS	2.1/2"	10
D300SS	3"	10
D400SS	4"	7
D500SS	5"	5
D600SS	6"	5

Type E Camlock x HOSE TAIL



Part Code	Size	WP (Bar)
E50SS	1/2"	10
E75SS	3/4"	10
E100SS	1"	10
E125SS	1.1/4"	10
E150SS	1.1/2"	10
E200SS	2"	10
E250SS	2.1/2"	10
E300SS	3"	10
E400SS	4"	7
E500SS	5"	5
E600SS	6"	5
E800SS	8"	3

Type F Camlock x BSPT Male



Part Code	Size	WP (Bar)
F50SS	1/2"	10
F75SS	3/4"	10
F100SS	1"	10
F125SS	1.1/4"	10
F150SS	1.1/2"	10
F200SS	2"	10
F250SS	2.1/2"	10
F300SS	3"	10
F400SS	4"	7
F500SS	5"	5
F600SS	6"	5

Type DC Camlock



Part Code	Size	WP (Bar)
DC50SS	1/2"	10
DC75SS	3/4"	10
DC100SS	1"	10
DC125SS	1.1/4"	10
DC150SS	1.1/2"	10
DC200SS	2"	10
DC250SS	2.1/2"	10
DC300SS	3"	10
DC400SS	4"	7
DC500SS	5"	5
DC600SS	6"	5

Type DP Camlock



Part Code	Size	WP (Bar)
DP50SS	1/2"	10
DP75SS	3/4"	10
DP100SS	1"	10
DP125SS	1.1/4"	10
DP150SS	1.1/2"	10
DP200SS	2"	10
DP250SS	2.1/2"	10
DP300SS	3"	10
DP400SS	4"	7
DP500SS	5"	5
DP600SS	6"	5

Brass Camlocks

Threaded Couplings also available in NPT Thread

USAGE : Most commonly used in heavy duty applications such as Steel Works, Offshore and Waste Water

Type A Camlock x BSPP Female



Part Code	Size	WP (Bar)
A50BR	1/2"	8
A75BR	3/4"	10
A100BR	1"	10
A125BR	1.1/4"	10
A150BR	1.1/2"	10
A200BR	2"	10
A250BR	2.1/2"	10
A300BR	3"	10
A400BR	4"	7
A500BR	5"	5
A600BR	6"	5

Type B Camlock x BSPT Male



Part Code	Size	WP (Bar)
B50BR	1/2"	8
B75BR	3/4"	10
B100BR	1"	10
B125BR	1.1/4"	10
B150BR	1.1/2"	10
B200BR	2"	10
B250BR	2.1/2"	10
B300BR	3"	10
B400BR	4"	7
B500BR	5"	5
B600BR	6"	5

Type C Camlock x HOSETAIL



Part Code	Size	WP (Bar)
C50BR	1/2"	10
C75BR	3/4"	10
C100BR	1"	10
C125BR	1.1/4"	10
C150BR	1.1/2"	10
C200BR	2"	10
C250BR	2.1/2"	10
C300BR	3"	10
C400BR	4"	10
C500BR	5"	10
C600BR	6"	10

Type D Camlock x BSPP Female



Part Code	Size	WP (Bar)
D50BR	1/2"	8
D75BR	3/4"	10
D100BR	1"	10
D125BR	1.1/4"	10
D150BR	1.1/2"	10
D200BR	2"	10
D250BR	2.1/2"	10
D300BR	3"	10
D400BR	4"	7
D500BR	5"	5
D600BR	6"	5

Type E Camlock x HOSE TAIL



Part Code	Size	WP (Bar)
E50BR	1/2"	8
E75BR	3/4"	10
E100BR	1"	10
E125BR	1.1/4"	10
E150BR	1.1/2"	10
E200BR	2"	10
E250BR	2.1/2"	10
E300BR	3"	10
E400BR	4"	7
E500BR	5"	5
E600BR	6"	5

Type F Camlock x BSPT Male



Part Code	Size	WP (Bar)
F50BR	1/2"	10
F75BR	3/4"	10
F100BR	1"	10
F125BR	1.1/4"	10
F150BR	1.1/2"	10
F200BR	2"	10
F250BR	2.1/2"	10
F300BR	3"	10
F400BR	4"	7
F500BR	5"	5
F600BR	6"	5

Type DC Camlock



Part Code	Size	WP (Bar)
DC50BR	1/2"	8
DC75BR	3/4"	10
DC100BR	1"	10
DC125BR	1.1/4"	10
DC150BR	1.1/2"	10
DC200BR	2"	10
DC250BR	2.1/2"	10
DC300BR	3"	10
DC400BR	4"	7
DC500BR	5"	5
DC600BR	6"	5

Type DP Camlock



Part Code	Size	WP (Bar)
DP50BR	1/2"	8
DP75BR	3/4"	10
DP100BR	1"	10
DP125BR	1.1/4"	10
DP150BR	1.1/2"	10
DP200BR	2"	10
DP250BR	2.1/2"	10
DP300BR	3"	10
DP400BR	4"	7
DP500BR	5"	5
DP600BR	6"	5

Polypropylene Camlocks

USAGE : Most commonly used as a general purpose coupling, Polypropylene is lightweight and has a very good chemical resistance

Type A Camlock x BSPP Female



Part Code	Size	WP (Bar)
A50PP	1/2"	5
A75PP	3/4"	7
A100PP	1"	7
A125PP	1.1/4"	7
A150PP	1.1/2"	7
A200PP	2"	7
A250PP	2.1/2"	7
A300PP	3"	4
A400PP	4"	4

Type B Camlock x BSPT Male



Part Code	Size	WP (Bar)
B50PP	1/2"	5
B75PP	3/4"	7
B100PP	1"	7
B125PP	1.1/4"	7
B150PP	1.1/2"	7
B200PP	2"	7
B250PP	2.1/2"	7
B300PP	3"	4
B400PP	4"	4

Type C Camlock x HOSETAIL



Part Code	Size	WP (Bar)
C50PP	1/2"	5
C75PP	3/4"	7
C100PP	1"	7
C125PP	1.1/4"	7
C150PP	1.1/2"	7
C200PP	2"	7
C250PP	2.1/2"	7
C300PP	3"	4
C400PP	4"	4

Type D Camlock x BSPP Female



Part Code	Size	WP (Bar)
D50PP	1/2"	5
D75PP	3/4"	7
D100PP	1"	7
D125PP	1.1/4"	7
D150PP	1.1/2"	7
D200PP	2"	7
D250PP	2.1/2"	7
D300PP	3"	4
D400PP	4"	4

Type E Camlock x HOSE TAIL



Part Code	Size	WP (Bar)
E50PP	1/2"	5
E75PP	3/4"	7
E100PP	1"	7
E125PP	1.1/4"	7
E150PP	1.1/2"	7
E200PP	2"	7
E250PP	2.1/2"	7
E300PP	3"	4
E400PP	4"	4

Type F Camlock x BSPT Male



Part Code	Size	WP (Bar)
F50PP	1/2"	5
F75PP	3/4"	7
F100PP	1"	7
F125PP	1.1/4"	7
F150PP	1.1/2"	7
F200PP	2"	7
F250PP	2.1/2"	7
F300PP	3"	4
F400PP	4"	4

Type DC Camlock



Part Code	Size	WP (Bar)
DC50PP	1/2"	5
DC75PP	3/4"	7
DC100PP	1"	7
DC125PP	1.1/4"	7
DC150PP	1.1/2"	7
DC200PP	2"	7
DC250PP	2.1/2"	7
DC300PP	3"	4
DC400PP	4"	4

Type DP Camlock



Part Code	Size	WP (Bar)
DP50PP	1/2"	5
DP75PP	3/4"	7
DP100PP	1"	7
DP125PP	1.1/4"	7
DP150PP	1.1/2"	7
DP200PP	2"	7
DP250PP	2.1/2"	7
DP300PP	3"	4
DP400PP	4"	4

Camlock Accessories

AVAILABLE ON REQUEST

Camlock Gaskets



SIZE	BUNA NITRILE	VITON	EPDM	TEFLON BUNA	TEFLON VITON	FEP ENCAPSULATED
1/2"	✓	✓	✓	✓	✓	✓
3/4"	✓	✓	✓	✓	✓	✓
1"	✓	✓	✓	✓	✓	✓
1 1/4"	✓	✓	✓	✓	✓	✓
1 1/2"	✓	✓	✓	✓	✓	✓
2"	✓	✓	✓	✓	✓	✓
2 1/2"	✓	✓	✓	✓	✓	✓
3"	✓	✓	✓	✓	✓	✓
4"	✓	✓	✓	✓	✓	✓
5"	✓	✓	✓	✓	✓	✓
6"	✓	✓	✓	✓	✓	✓

Camlocks are supplied with a Standard Seal, Care is to be taken to check that the gasket material is fit for purpose for the application some of these checks will be the Temperature Range & Chemical Compatibility We offer a wide range of gasket options to meet many various types of applications

Camlock Chains & Rings



Product	Brass 12inch Chain	SS 12inch Chain	Locking Pin
Code	✓	✓	✓

Camlock Replacement Handles

Size	BRASS	Stainless Steel
3/4"	✓	✓
1"	✓	✓
1 1/4" - 2 1/2"	✓	✓
3" - 5"	✓	✓
6"	✓	✓



Camlock Flanged Adaptors

Stainless Steel Flange Male Adaptor

Size	ASA150	PN16
3/4"	✓	✓
1"	✓	✓
1 1/4"	✓	✓
1 1/2"	✓	✓
2"	✓	✓
2 1/2"	✓	✓
3"	✓	✓
4"	✓	✓



Stainless Steel Flange Female Adaptor

Size	ASA150	PN16
3/4"	✓	✓
1"	✓	✓
1 1/4"	✓	✓
1 1/2"	✓	✓
2"	✓	✓
2 1/2"	✓	✓
3"	✓	✓
4"	✓	✓

0121 783 8118

sales@ihp.co.uk

Bannerley Road, Garretts Green Industrial Estate, Birmingham B33 0SR

A PART OF

R&G

FLUID POWER GROUP

www.rgfluidpower.com